

Clinical Trial Protocol

Iranian Registry of Clinical Trials

23 Feb 2026

Safety and efficacy of “Hydroxychloroquine + Azithromycin + Naproxen + Prednisolone” and “Hydroxychloroquine + Azithromycin + Naproxen” regimens in comparison with “Hydroxychloroquine + Kaletra” on the need for intensive care unit treatment in patients with COVID-19; a randomized, multicenter, parallel groups, open label study

Protocol summary

Study aim

Achieve an appropriate treatment protocol for COVID-19

Design

Randomized parallel, 3 groups, clinical trial, open label

Settings and conduct

It is a multicenter clinical trial that will be conducted in at least 4 centers all over the country

Participants/Inclusion and exclusion criteria

Inclusion criteria: Diagnosis of COVID-19 based on either ground glass appearance in chest CT scan or positive RTPCR test for COVID-19; Requiring hospitalization; Patient's age between 16 and 100 years; Signed informed consent form; Exclusion criteria: Receiving other antiviral medications such as (Hydroxychloroquine, Kaletra, Ribavirin, Oseltamivir); Uncontrolled diabetes; Asthma; Chemotherapy in the past month; Taking immunosuppressive drugs; Chronic liver or renal failure; HIV; GI bleeding; Pregnancy; Lactation; Uncontrolled bacterial infection

Intervention groups

Intervention group1: Stat dose of two 200 mg Hydroxychloroquine tablets (total 400 mg) followed by two 250 mg Azithromycin in first day and 250 mg Azithromycin a day for 5 days + five 5 mg Prednisolone tablets a day for 5 days + 250 mg Naproxen tablets two times a day for 5 days. Intervention group2: Stat dose of two 200 mg Hydroxychloroquine tablets followed by two 250 mg Azithromycin in first day and 250 mg Azithromycin a day for 5 days plus 250 mg Naproxen tablets two times a day for 5 days. Control group: Stat dose of two 200 mg Hydroxychloroquine tablets followed by Kaletra (Lopinavir/Ritonavir) 200/50 mg two times a day for 7 days.

Main outcome variables

Admission to ICU, In-hospital mortality, length of stay in hospital, Radiological Treatment Response (CT scan), Laboratory Treatment Response (return of blood cell count and CRP values to normal), Fever, Dyspnea, Oxygen saturation after discontinuation of supplemental oxygen for 5 minutes, Oxygen therapy maximum flow during the day (lit/min), Pulmonary function test 6 wks after discharge, and Adverse and allergic drug reactions

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20200318046812N2**

Registration date: **2020-04-08, 1399/01/20**

Registration timing: **prospective**

Last update: **2020-04-08, 1399/01/20**

Update count: **0**

Registration date

2020-04-08, 1399/01/20

Registrant information

Name

Mostafa Ghanei

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 21 8860 0067

Email address

mghaneister@gmail.com

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2020-04-10, 1399/01/22

Expected recruitment end date

2021-04-11, 1400/01/22

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

Safety and efficacy of "Hydroxychloroquine + Azithromycin + Naproxen + Prednisolone" and "Hydroxychloroquine + Azithromycin + Naproxen" regimens in comparison with "Hydroxychloroquine + kaletra" on the need for intensive care unit treatment in patients with COVID-19; a randomized, multicenter, parallel groups, open label study

Public title

evaluation of Safety and efficacy of anti inflammatory regimens in COVID-19

Purpose

Treatment

Inclusion/Exclusion criteria

Inclusion criteria:

Diagnosis of COVID-19 based on either ground glass appearance in chest CT scan or positive RTPCR test for COVID-19 Requiring hospitalization Patient's age between 16 and 100 years Signed informed consent form

Exclusion criteria:

Past history of hospitalization or treatment in hospital for COVID-19 disease Receiving other antiviral medications such as (Hydroxychloroquine, Kaletra, Ribavirin, Oseltamivir) Uncontrolled diabetes Astma Chemotherapy in the past month Taking immunosuppressive drugs Chronic liver or renal failure Taking daily systemic corticosteroids HIV GI bleeding Pregnancy or Lactation Uncontrolled bacterial infection

Age

From **16 years** old to **100 years** old

Gender

Both

Phase

3

Groups that have been masked

No information

Sample size

Target sample size: **906**

Randomization (investigator's opinion)

Randomized

Randomization description

In this study, we will use block randomization methods using variable block size of four and six stratified by center. We will use Excel software and rand() function to generate the random sequence. The master randomization list will be kept by the epidemiologist working with the research team

Blinding (investigator's opinion)

Not blinded

Blinding description

Placebo

Not used

Assignment

Parallel

Other design features

Secondary Ids

empty

Ethics committees

1

Ethics committee

Name of ethics committee

Baqiyatallah university of medical sciences

Street address

Tehran, Vanak Square, Mulla Sadra Street

City

Tehran

Province

Tehran

Postal code

1435916471

Approval date

2020-03-26, 1399/01/07

Ethics committee reference number

IR.BMSU.REC.1399.019

Health conditions studied

1

Description of health condition studied

COVID-19

ICD-10 code

U07.1 COVI

ICD-10 code description

COVID-19

Primary outcomes

1

Description

Admission to intensive care unit

Timepoint

Once (when admitted to intensive care unit)

Method of measurement

Hospital records

Secondary outcomes

1

Description

In-hospital mortality

Timepoint

Once
Method of measurement
Patient medical records

2
Description
length of stay in hospital
Timepoint
Once at discharge
Method of measurement
Patient medical records

3
Description
Radiological Treatment Response (CT scan) , more than 50% reduction in the affected area
Timepoint
CT scan will be done twice (once at the time of admission and the second time 10 days after discharge).
Assessment will be done comparing the second CT with the first one
Method of measurement
Patient CT scan

4
Description
Laboratory Treatment Response; return of blood cell count and CRP values to normal
Timepoint
Daily
Method of measurement
Laboratory kits

5
Description
Fever
Timepoint
Daily
Method of measurement
Patient medical records

6
Description
Dyspnea
Timepoint
Daily
Method of measurement
Patient medical records

7
Description
Oxygen saturation without supplemental oxygen.
Measurement will be done after discontinuation of oxygen therapy for 5 minutes
Timepoint
4 times a day while in the wards
Method of measurement

Observation

8
Description
Oxygen therapy maximum flow during the day (lit/min)
Timepoint
Daily
Method of measurement
Patient medical records

9
Description
Discharge without Intensive care need
Timepoint
Once
Method of measurement
Patient medical records

10
Description
Pulmonary function
Timepoint
6 weeks after discharge
Method of measurement
Spirometry and a six-minute walking test are performed.
Pulmonary function status is divided into two groups, normal and abnormal

11
Description
Allergic drug reaction
Timepoint
Daily
Method of measurement
Adverse Drug Reaction forms

12
Description
Adverse drug reactions
Timepoint
Daily
Method of measurement
Adverse Drug Reaction forms

Intervention groups

1
Description
Intervention group: Intervention group: Group 1: Patients in this group will first receive hydroxychloroquine as two 200 mg tablets with a total of 400 mg of stat; then the following regimen will be continued for 5 days - azithromycin two 250 mg tablets on the first day. And then 250 mg daily for 5 days - 5 mg prednisolone tablets in the amount of 5 tablets (25 mg) daily for 5 days - 250 mg naproxen tablets twice a day for 5 days. Also, patients in this group to prevent complications. Digestive

patients will receive 40 mg of pentoprazole tablets or capsules daily during treatment. According to the attending physician, this treatment protocol can be continued for 10 days, depending on the clinical symptoms, if necessary. The patient will be discharged from the protocol. In this case, all the patient's information will be collected until the end of the study. If treatment is needed in the intensive care unit, all treatment methods will be used according to the patient's clinical needs and the decision of the treating physician. Prednisolone in this group will continue to be cleared and gradually reduced to 5 mg each week to be discontinued. The weekly dose will be as follows: -First week after clearance: 20 mg per day -Second week after clearance: 15 mg per day- Third week after clearance: 10 mg per day -Fourth week after clearance 5 Mg per day and finally discontinued

Category

Treatment - Drugs

2

Description

Intervention group: Patients in this group will first receive hydroxychloroquine in the form of two 200 mg tablets with a total of 400 mg of stat; then the following diet will be continued for 5 days.- Azithromycin two 250 mg tablets on the first day and then 250 mg daily for 5 days- Naproxen tablets 250 mg twice daily for 5 daysIn addition, patients in this group will receive 40 mg tablets or pentoprazole capsules daily to prevent gastrointestinal side effects during treatment.According to the attending physician, this treatment protocol can be continued for 10 days, depending on the clinical symptoms, if necessary.In this group, starting antiviral or steroid therapy before the need for treatment in the intensive care unit will cause the patient to leave the protocol. In this case, all patient information will continue to be collected until the end of the study.If treatment is needed in the intensive care unit, all treatment methods will be used according to the patient's clinical needs and the decision of the treating physician.

Category

Treatment - Drugs

3

Description

Control group: Patients in this group first receive two 200 mg hydroxychloroquine stats and then receive the following diet for 7 to 10 days:- kaltra (Lupinavir / Ritonavir) twice a day and two tablets of 200/50 mg each time for 7 days.Acetaminophen and oxycodone will be used if you need painkillers and antipyretics.According to the attending physician, this treatment protocol can be continued for 14 days, depending on the clinical symptoms, if necessary.In this group, the use of steroidal and non-steroidal anti-inflammatory drugs is not allowed until the need for treatment in the intensive care unit. If treatment is needed in the intensive care unit, all treatment methods will be used according to the patient's clinical needs and the decision of the treating physician.

Category

Treatment - Drugs

Recruitment centers

1

Recruitment center

Name of recruitment center

Baqiyatallah university of medical sciences

Full name of responsible person

Ali Qazvini

Street address

Tehran, Vanak Square, Mulla Sadra Street, Sheikh Bahai Street

City

Tehran

Province

Tehran

Postal code

1435916471

Phone

+98 21 8860 0067

Email

qazvinia@gmail.com

2

Recruitment center

Name of recruitment center

Velaiat Hospital

Full name of responsible person

Dr Mariam Qaraati

Street address

Taavon Square

City

Qazvin

Province

Qazvin

Postal code

02833790610

Phone

+98 28 3379 0627

Email

a.h.ghazale@gmail.com

3

Recruitment center

Name of recruitment center

Forghani Hospital

Full name of responsible person

Dr Abolfazl Mozafari

Street address

Nekoei Square

City

Ghoum

Province

Ghoum

Postal code

02537211069

Phone

+98 25 3721 1061

Email

a.h.ghazele@gmail.com

4

Recruitment center

Name of recruitment center

Shohada Tajrish Hospital

Full name of responsible person

Dr Mahtab Niroomand

Street address

Tajrish square

City

Tehran

Province

Tehran

Postal code

1989934148

Phone

+98 21 25719

Email

mahtabniroomand@yahoo.com

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Bagheiat-allah University of Medical Sciences

Full name of responsible person

Mostafa Ghanei

Street address

Tehran, Vanak, Mulla Sadra Street, Sheikh Bahaei Street, Nosrat Alley

City

Tehran

Province

Tehran

Postal code

1435915371

Phone

+98 21 8860 0067

Email

mghaneister@gmail.com

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Bagheiat-allah University of Medical Sciences

Proportion provided by this source

50

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

2

Sponsor

Name of organization / entity

Iran University of Medical Sciences

Full name of responsible person

Dr Seyed Abbas Motevalian

Street address

Hemmat Highway, next to Milad Tower, Iran University of Medical Sciences

City

Tehran

Province

Tehran

Postal code

۱۴۳۹۶۱۴۵۳۵

Phone

+98 21 8670 2503

Email

amotevalian@yahoo.com

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Iran University of Medical Sciences

Proportion provided by this source

50

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

Bagheiat-allah University of Medical Sciences

Full name of responsible person

Seyed Hassan Saadat

Position

Associate professor

Latest degree

Ph.D.

Other areas of specialty/work

Psychology

Street address

Tehran, Vanak Square, Mulla Sadra Street, Sheikh Bahai Street

City

Tehran

Province

Tehran

Postal code
1435916471
Phone
+98 21 8860 0067
Email
saadat350@gmail.com

Person responsible for scientific inquiries

Contact

Name of organization / entity
Bagheiat-allah University of Medical Sciences
Full name of responsible person
Ali Qazvini
Position
Assistant Professor
Latest degree
Specialist
Other areas of specialty/work
pulmonologist
Street address
Tehran, Vanak Square, Mulla Sadra Street, Sheikh Bahai Street
City
Tehran
Province
Tehran
Postal code
1435915371
Phone
+98 21 8860 0067
Email
qazvinia@gmail.com

Person responsible for updating data

Contact

Name of organization / entity
Bagheiat-allah University of Medical Sciences
Full name of responsible person
Amir Hossein Ghazale
Position
Medical student
Latest degree
Medical doctor
Other areas of specialty/work
Internal Medicine
Street address

Vanak, Mulla Sadra Street, Sheikh Bahae Street,
Nosrat Alley

City
Tehran
Province
Tehran
Postal code
1435915371
Phone
+98 21 8860 0067
Email
a.h.ghazale@gmail.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Yes - There is a plan to make this available

Study Protocol

Yes - There is a plan to make this available

Statistical Analysis Plan

Yes - There is a plan to make this available

Informed Consent Form

Yes - There is a plan to make this available

Clinical Study Report

Yes - There is a plan to make this available

Analytic Code

Yes - There is a plan to make this available

Data Dictionary

Yes - There is a plan to make this available

Title and more details about the data/document

Deidentified IPD related to outcome will be shared.

When the data will become available and for how long

The access period will begin 6 months after publication of the paper

To whom data/document is available

The data will be available only for academic researchers.

Under which criteria data/document could be used

Only meta-analysis in collaboration with the current study research team will be permitted.

From where data/document is obtainable

From where data/document is obtainable Researchers can request data by emailing Dr. Mustafa Qanei (mghaneister@gmail.com) or Dr.Ali Qazvini(qazvinia@gmail.com)

What processes are involved for a request to access data/document

Requested data will be sent by email after consideration and approval by the relevant authorities from Baghiattallah university.

Comments