

Clinical Trial Protocol

Iranian Registry of Clinical Trials

13 Jun 2026

Comparison of the Sedative Effects of Intramuscular vs Intravenous of Ketamine, Midazolam and Atropine Cocktail in 2–6-Year-Old Uncooperative Dental Patients

Protocol summary

Study aim

Comparison of intramuscular and intravenous sedation effects of ketamine, midazolam and atropine in 2-6 year old non-cooperative children in dentistry

Design

Phase 3 Cross-over double-blinded clinical trial on 32 children, the samples will be divided by simple randomization method. The randomization unit will be individual and the samples will be assigned to two groups using the individual randomization table.

Settings and conduct

Two similar treatment sessions will be done in the fellowship department of Shahid Beheshti Dental School. Medicines will be prepared and prescribed by an anesthesiologist. Drugs used in the intramuscular group include 6 mg/kg of ketamine (500 mg/10 ml, EXIR, Iran), 0.05 mg/kg of midazolam (0.5 mg/ml, EXIR, Iran) and 0.02 mg/kg of atropine (0.5 mg/ml, Darou pakhsh, Iran) and in the intravenous group will include 2 mg/kg of ketamine, 0.02 mg/kg of midazolam and 0.02 mg/kg of atropine. Participants, researcher, clinical caregiver and data analyst will be blinded to the study.

Participants/Inclusion and exclusion criteria

Uncooperative 2–6-year-old children with definitely negative or negative Frankl scores, who required at least 2 similar dental treatment visits. The subjects were ASA I. Children with nasal obstruction, respiratory infections, limitations in neck movement, macroglossia, tonsil hypertrophy, micrognathia, or limitations in mouth opening were excluded.

Intervention groups

Children will be randomly placed in two groups I and II. In group I, the combination of ketamine, midazolam, and atropine will be administered intramuscularly in the first session and intravenously in the second session, and in group II, the drug administration method will be the opposite in the first and second sessions.

Main outcome variables

The amount of sedation and behavioral evaluation based on the Hout criterion; physiological parameters; side effects

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20180401039166N1**

Registration date: **2025-01-31, 1403/11/12**

Registration timing: **registered_while_recruiting**

Last update: **2025-01-31, 1403/11/12**

Update count: **0**

Registration date

2025-01-31, 1403/11/12

Registrant information

Name

Leila Eftekhari

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 21 2217 5350

Email address

leila.eftekhari.a@gmail.com

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2025-01-04, 1403/10/15

Expected recruitment end date

2025-05-05, 1404/02/15

Actual recruitment start date

empty

Actual recruitment end date
empty

Trial completion date
empty

Scientific title
Comparison of the Sedative Effects of Intramuscular vs Intravenous of Ketamine, Midazolam and Atropine Cocktail in 2–6-Year-Old Uncooperative Dental Patients

Public title
Comparison of Intramuscular vs Intravenous Sedation in Dental Treatment

Purpose
Treatment

Inclusion/Exclusion criteria
Inclusion criteria:
Uncooperative 2–6-year-old children with definitely negative or negative Frankl scores, who were referred to the Pediatric Dentistry Fellowship Clinic at the Dental School of Shahid Beheshti University of Medical Sciences, Tehran, Iran, and required at least 2 similar dental treatment visits. The subjects were included if they were classified as ASA I, according to the American Society of Anesthesiology (ASA).
Exclusion criteria:
Children with nasal obstruction, respiratory infections, limitations in neck movement, macroglossia, tonsil hypertrophy, micrognathia, or limitations in mouth opening were excluded.

Age
From **2 years** old to **6 years** old

Gender
Both

Phase
3

Groups that have been masked

- Participant
- Care provider
- Investigator
- Outcome assessor
- Data analyser

Sample size
Target sample size: **32**
More than 1 sample in each individual
Number of samples in each individual: **2**
Two similar dental treatment sessions per participant

Randomization (investigator's opinion)
Randomized

Randomization description
The samples will be divided into two groups of intramuscular and intravenous sedation by simple randomization method. The randomization unit will be independent individuals and the samples will be assigned into two groups using the individual randomization table.

Blinding (investigator's opinion)
Double blinded

Blinding description
1. Participants: Parents will know about participating in the study and performing treatment with intramuscular

or intravenous sedation in two sessions, but they will be blinded to the type of sedation in each session. 2. Researcher and clinical caregiver: is responsible for performing dental treatment and is blinded to the sedation method (intramuscular or intravenous) used by the anesthesiologist. 3. Data Analyst: Data will be analyzed by a statistician who is unaware of the sedation method.

Placebo
Not used

Assignment
Crossover

Other design features

Secondary Ids

empty

Ethics committees

1

Ethics committee

Name of ethics committee

Research School of Dental Sciences - Shahid Beheshti University of Medical Sciences

Street address

School of Dentistry, Shahid Beheshti University of Medical Sciences, Daneshju Blv., Velenjak St., Chamran Highway, Tehran, Iran.

City

Tehran

Province

Tehran

Postal code

1983969411

Approval date

2024-07-09, 1403/04/19

Ethics committee reference number

<https://ethics.research.ac.ir/IR.SBMU.DRC.REC.1403.068>

Health conditions studied

1

Description of health condition studied

Intramuscular and intravenous sedation

ICD-10 code

ICD-10 code description

Primary outcomes

1

Description

The level of sedation and behavioral evaluation based on the Houpt criterion

Timepoint

T0: the beginning of work; T1: after anesthesia injection; T2: 15 minutes after starting work, T3: 30 minutes after starting work and T4: end of work

Method of measurement

Secondary outcomes

1

Description

Physiological parameters

Timepoint

T0: the beginning of work; T1: after anesthesia injection;
T2: 15 minutes after starting work, T3: 30 minutes after starting work and T4: end of work

Method of measurement

Data table

Intervention groups

1

Description

Intervention group: Intramuscular injection: Drugs used in the intramuscular group include the combination of 6 mg/kg of ketamine (500 mg/10 ml, EXIR, Iran), 0.05 mg/kg of midazolam (0.5 mg/ml, EXIR, Iran) and 0.02 mg/kg of atropine (0.5 mg/ml, Daroupakhsh, Iran)

Category

Treatment - Drugs

2

Description

Intervention group: Intravenous injection: In the intravenous group, it will include 2 mg/kg of ketamine (500 mg/10 ml, EXIR, Iran), 0.02 mg/kg of midazolam (0.5 mg/ml, EXIR, Iran) and 0.02 mg/kg of atropine (0.5 mg/ml, Daroupakhsh, Iran).

Category

Treatment - Drugs

Recruitment centers

1

Recruitment center

Name of recruitment center

Faculty of Dentistry, Shahid Beheshti University of Medical Sciences

Full name of responsible person

Leila Eftekhar

Street address

School of Dentistry, Shahid Beheshti University of Medical Sciences, Daneshju Blv., Velenjak St., Chamran Highway, Tehran, Iran.

City

Tehran

Province

Tehran

Postal code

1983969411

Phone

+98 21 2217 5351

Email

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Shahid Beheshti University of Medical Sciences

Full name of responsible person

Leila Eftekhar

Street address

School of Dentistry, Shahid Beheshti University of Medical Sciences, Daneshju Blv., Velenjak St., Chamran Highway, Tehran, Iran,

City

Tehran

Province

Tehran

Postal code

1983969411

Phone

+98 21 2217 5351

Email

leila.eftekhar.a@gmail.com

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Shahid Beheshti University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

Shahid Beheshti University of Medical Sciences

Full name of responsible person

Leila Eftekhar

Position

fellowship

Latest degree

Specialist

Other areas of specialty/work

Dentistry

Street address

School of Dentistry, Shahid Beheshti University of Medical Sciences, Daneshju Blv., Velenjak St., Chamran Highway, Tehran, Iran

City

Tehran
Province
Tehran
Postal code
1983969411
Phone
+98 21 2217 5351
Email
leila.eftekhar.a@gmail.com

Person responsible for scientific inquiries

Contact

Name of organization / entity
Shahid Beheshti University of Medical Sciences
Full name of responsible person
Leila Eftekhar
Position
fellowship
Latest degree
Specialist
Other areas of specialty/work
Dentistry
Street address
School of Dentistry, Shahid Beheshti University of
Medical Sciences, Daneshju Blv., Velenjak St.,
Chamran Highway, Tehran, Iran
City
Tehran
Province
Tehran
Postal code
1983969411
Phone
+98 21 2217 5351
Email
leila.eftekhar.a@gmail.com

Person responsible for updating data

Contact

Name of organization / entity
Shahid Beheshti University of Medical Sciences
Full name of responsible person
Leila Eftekhar
Position
fellowship
Latest degree
Specialist
Other areas of specialty/work
Dentistry
Street address
School of Dentistry, Shahid Beheshti University of

Medical Sciences, Daneshju Blv., Velenjak St.,
Chamran Highway, Tehran, Iran

City
Tehran
Province
Tehran
Postal code
1983969411
Phone
+98 21 2217 5351
Email
leila.eftekhar.a@gmail.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

No - There is not a plan to make this available

Justification/reason for indecision/not sharing IPD

In order to protect the privacy and medical information
of patients

Study Protocol

Yes - There is a plan to make this available

Statistical Analysis Plan

Yes - There is a plan to make this available

Informed Consent Form

Yes - There is a plan to make this available

Clinical Study Report

Yes - There is a plan to make this available

Analytic Code

Not applicable

Data Dictionary

Not applicable

Title and more details about the data/document

Part of the documents will be shared, for example study
protocol, statistical analysis, informed consent form, and
clinical study report.

When the data will become available and for how long

Data access period is 6 months after the publication of
the results

To whom data/document is available

Researchers working in academic and scientific
institutions

Under which criteria data/document could be used

In order to achieve new results that were not
investigated in the study.

From where data/document is obtainable

The Scientific reviewer of the study via e-mail address

What processes are involved for a request to access data/document

After the applicant's request and application review, if
approved, the documents will be provided to the
applicant within 2 months.

Comments